






# Ozone and Aerosol Measurements with Airborne Lidar During the INTEX-NA Field Experiment: Initial Results


Edward V. Browell, Johnathan W. Hair, Carolyn F. Butler, Marta A. Fenn, Anthony Notari, Susan A. Kooi, and Syed Ismail


Sciences Directorate
NASA Langley Research Center
Hampton, Virginia


### Airborne Ozone & Aerosol Lidar Measurements





# Sample DIAL Ozone Comparisons























Pressure (hPa)









## 18 July 2004 (Flight #9) U.S. Outflow


#### **DC-8 Flight Track**



# 18 July 2004 (Flight #9) U.S. Outflow




# 18 July 2004 (Flight #9) U.S. Outflow




# 20 July 2004 (Flight #10) Alaskan Smoke Plumes

#### **DC-8 Flight Track**




# 20 July 2004 (Flight #10) Alaskan Smoke Plumes




## 1 July 2004 (Flight #3) Asian & CA Outflow







## 1 July 2004 (Flight #3) Asian & CA Outflow




## INTEX-NA: 1 July - 14 August 2004 (18 Flights)




#### INTEX-NA: Average Latitudinal O<sub>3</sub> Distributions (80-60W)





#### INTEX-NA: Average Longitudinal O<sub>3</sub> Distributions (25-55N)



# Preliminary Results

- Obtained large-scale distributions of  $O_3$  and aerosol characteristics from near surface to mid-trop./lower strat. on all but one INTEX-NA flights.
- Observed long-range transport of Asian pollution with enhanced aerosols and  $O_3$  in mid-upper trop. in the eastern Pacific to possibly eastern U.S.
- Observed variable tropopause levels and presence of stratospheric air mixed with polluted air masses from up wind convection.
- Observed enhanced aerosols and  $O_3$  in lower troposphere associated with pollution over the U.S. and advection over Atlantic.
- Observed aerosol characteristics & long-range transport of Alaskan fire plumes to mid, eastern, and northeastern U.S. in layers which mixed into PBL in some cases and Saharan dust over southern U.S.
- Determined the average latitudinal & longitudinal O<sub>3</sub> distributions for examining the continental scale variations observed during INTEX.

All INTEX data images available at http://asd-www.larc.nasa.gov/lidar/

#### Future Activities

- Determine the average aerosol lat. & long. distributions to correlate with the average O<sub>3</sub> lat. & long. distributions.
- Complete air mass categorization based on O<sub>3</sub>, aerosol characteristics, and potential vorticity levels, vis-à-vis, TRACE-P.
- Determine fraction of time each air mass type was observed and the relative contribution of each air mass type to trop.  $O_3$  budget.
- Determine chemical characteristics of each air mass type based on in situ measurements of the remotely categorized air masses.
- Determine the eastward flux of  $O_3$  observed over eastern North America and western Atlantic (80-60W).
- Compare O<sub>3</sub> and aerosol results with model predictions.
- Compare large-scale average  $O_3$  and aerosol distributions, air mass types, and fluxes with previous field experiments.
- Collaborate with Science Team in chemistry/transport process studies and satellite & model validation activities.

See posters by Fenn et al. and Butler et al. for additional O<sub>3</sub> and aerosol results!